	Application No.	Applicant(s)
Notice of Allowability		
	10/519,841 <b>Examiner</b>	DIETSCHE ET AL.  Art Unit
	KEVIN R. KRUER	1787
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to the RCE filed 8/23/2010.		
2. The allowed claim(s) is/are <u>1,5,7-9,16,19-21,23,24,26,27 and 29</u> .		
<ul> <li>3.  Acknowledgment is made of a claim for foreign priority ur</li> <li>a)  All b)  Some* c)  None of the:</li> <li>1.  Certified copies of the priority documents have</li> </ul>	been received.	
2. Certified copies of the priority documents have been received in Application No		
3. 🛮 Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached		
1)  hereto or 2)  to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. ☐ Notice of References Cited (PTO-892)	5. ☐ Notice of Informal F	Potent Application
<ol> <li>Notice of References Cited (PTO-092)</li> <li>Notice of Draftperson's Patent Drawing Review (PTO-948)</li> </ol>	6. ☑ Interview Summary	
3. ☐ Information Disclosure Statements (PTO/SB/08),	Paper No./Mail Da 7. ⊠ Examiner's Amend	te <u>10/29/2010</u> .
Paper No./Mail Date  4.  Examiner's Comment Regarding Requirement for Deposit		ent of Reasons for Allowance
of Biological Material	9. ☐ Other	S. C. C. COGGOTO TOT ANOWATION
/Kevin R Kruer/		
Primary Examiner, Art Unit 1787		

## **Examiner's Amendment**

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Daniel Pereira on October 29, 2010.

The application has been amended as follows:

Claim 25 has been deleted.

On the first page of the specification, after the title, the following sentence has been inserted: --This application is a national stage entry of International Application No. PCT/EP03/07709, filed July 16, 2003, which in turn claims priority to German application 10233521.4 filed July 23, 2002.--

## Reasons for Allowance

The following is an examiner's statement of reasons for allowance:

Claims 1, 5, 7-9, 16, 19, 10, 21, 23, 24, 26, 27, and 29 are allowable over the prior art.

The closest prior art is Mack et al (US 6,500,883) in view of (a) Otaki et al (US 6,482,489), (b) Saeki et al (US 4,824,905) and (c) Downey (US 3,880,953) or Korpman (US 4,136,071), as noted in the Final rejection mailed 4/29/2010. The claims are distinguished from said combination of references because the claimed layers are coextensive and because said combination does not teach the claimed compositions of the respective layers.

Application/Control Number: 10/519,841 Page 2

Art Unit: 1787

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

## Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to KEVIN R. KRUER whose telephone number is (571)272-1510. The examiner can normally be reached on Monday-Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Callie Shosho can be reached on 571-272-1123. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Kevin R Kruer/ Primary Examiner, Art Unit 1787